

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	5/17/2017	DPD	JAG





- NOTES:


 1. REF. AIRBUS T/N: 117-30002-W1.
 2. PART OF KIT: RBET3011.


/3\ INSTALL W/ LOCTITE 262.

DART

TITLE **EXTRACTOR**


ASSY QTY	ASSY QTY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.		WG NO.	RBE117	7-30002W1 1 REV
			-1	1	RETAINER	303 S.S.		2	MA TE	AT		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8
			-3	1	SPINDLE	4140/4142		3		NISH		.XX + .01 ANGLES ±.5° .X + .1 SURFACES = 125/
			-5	1	WASHER	BRASS		4	SPE			1. BREAK ALL SHARP EDGES
			-7	3	PULLER	4140/4142		5			DD 05/03/2017	.015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY
			-9	3	SPRING	301/304/316 S.S.		6			RJC 05/03/2017 AA 05/05/2017	AFTER PLATING 3. INTERPRET DIM AND TOL PER
		B/O	-11	3	LOW PROFILE SOCKET HEAD CAP SCREW	\$.\$.	M3x0.5 X 6mm (MCMASTER-CARR #90666A103)	1			JL 05/10/2017	ASME Y14.5M-2009 USED ON MODEL
		B/O	-13	1	EXTERNAL RETAINING RING	STEEL	Ø10mm (MCMASTER-CARR #98541A118)	1	API	PPROVED:	JAG 05/17/2017	EC145, EC645
		B/O	-15	1	O-RING	VITON	Ø3/32 X Ø1-15/16 I.D. (MCMASTER-CARR #946K135)	1	sc	CALE 1	:2 DATE	5/3/2017 SHEET 1 OF 6







This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS									
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED				










			,	RT					
EXTRACTOR									
DWG NO.	RBI	E117-	-3	0002W	REV 1				
MAT'L BRAS: HEAT TREAT FINISH SPEC	S			DIME .XXX ± .005 .XX ± .01 .X ± .1		ES ,			
DRAWN BY: CHECKED: OPPS APPR:	DD 05/03 RJC 05/0 AA 05/05	3/2017	.015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009						
QA APPR: APPROVED:	JL 05/10/ JAG 05/1		USED ON MODEL EC145, EC645						
SCALE	2:1	DATE	5/	3/2017	SHEET 4 OF	6			



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. REVISIONS

REV ECR DESCRIPTION DATE INITIAL APPROVED

